

MIGHT E VEHICLE

An ISO 9001:2015 Certified Company



www.mightevehicle.com

Save Green Save Life

MIGHT CHOICE... RIGHT CHOICE...



ELECTRIC BATTERY
Scooty
Rickshaw
Loader

माईट के संग, उमंगो के रंग

भवानी
ई-रिक्शा



Approved Product

Electric Vehicles Manufacturer:

Might Auto Motive (I) Pvt. Ltd.

Corporate Office: GA-22/23, G/R Vill - Pul Prahladpur, New Delhi-110044

MIGHT E VEHICLE

An ISO 9001:2015 Certified Company



भवानी
ई-रिक्शा

PARAMETERS	
BRAND	BHAWANI CLASSIC 1.0/3.0
Technical Specifications	
Particulars	E-Rickshaw
Dimensions	Length - 2750 mm Width - 990 mm Height - 1770 mm
Seating capacity	4+1
Tyre size	3.75 x 12 / 90 x 90 x 12
Motor type	BLDC 48 V
Motor max power	900 W/ 1000 W & 48 V
Max speed	25 Km / hour
Controller	50 amp 48 v (24 tubes) Brushless Type
Front shocker	43 mm 31" Helical spring with hydraulic telescopic shock absorber
Diffrentional	33"
Rear suspension	Leaf spring and Hydraulic soaker
Brakes	Drum 160 mm
Roof	Iron / Fiber
Wiring	10 mm full copper
Pant	Liquid metallic
Range per charge	90 km & Above
E-RICKSHAW WARRANTY	
Chassis / Motor / Controller / Converter / Differential / Kamani	1 Year warranty
BATTERY WARRANTY	
48 v 80 Ah Life Po4	3 year warranty
12 v x 4 110 Ah Lead acid	1 year warranty
CHARGER WARRANTY	
48 v 15 Amp (For LifePo4 Battery)	1 Year warranty
48 v 15 Amp (For Lead acid Battery)	1 Year warranty
CHARGING TIME	
For LifePo4 Battery	4 TO 5 Hour /
For Lead acid Battery	8 TO 9 Hour

Follow us online! → YouTube f Instagram mightevehicle

Save Green Save Life



Might

www.mightvehicle.com



ICAT
Innovation • Service • Excellence
Approved Product



FEATURES
Front glass with Motor / Wiper
High quality automotive steel chassis and body
Foot mat
Full curtain
Indicator jalli
Stainless steel/ black stop bumper
Fan
Driver lamp
Passenger lamp
Tool kit
Fasted kit
Stephane cover abs
Reflector stickers
Fog lamp
Cabin partition
Bottle holder
Fire extinguisher
Mobile handling device hands free
Music system

PARAMETERS	
BRAND	BHAWANI DELUX 1.0/3.0
Technical Specifications	
Particulars	E-Rickshaw (Steel Frame)
Dimensions	Length - 2750 mm Width - 990 mm Height - 1770 mm
Seating capacity	4+1
Tyre size	3.75 x 12 / 90 x 90 x 12
Motor type	BLDC 48 V
Motor max power	900 W / 1000 W & 48 V
Max speed	25 Km / hour
Controller	50 amp 48 v (24 tubes) Brushless Type
Front shocker	43 mm 31" Helical spring with hydraulic telescopic shock absorber
Wheel	Allow
Diffrential	33"
Rear suspension	Leaf spring and Hydraulic soaker
Brakes	Drum 160 mm
Roof	Iron / Fiber
Wiring	10 mm full copper
Pant	Liquid metallic
Range per charge	90 km & Above
E-RICKSHAW WARRANTY	
Chassis / Motor / Controller / Converter / Differential / Kamani	1 Year warranty
BATTERY WARRANTY	
48 v 80 Ah Life Po4	3 year warranty
12 v x 4 110 Ah Lead acid	1 year warranty
CHARGER WARRANTY	
48 v 15 Amp (For LifePo4 Battery)	1 Year warranty
48 v 15 Amp (For Lead acid Battery)	1 Year warranty
CHARGING TIME	
For LifePo4 Battery	4 TO 5 Hour /
For Lead acid Battery	8 TO 9 Hour

* All products shown are for illustration purpose only, the actual product may vary

MIGHT का वादा... कमाई उम्मीद से ज्यादा...



FEATURES
Front glass with Motor / Wiper
High quality automotive steel chassis and body
Foot mat
Full curtain
Indicator jalli
Stainless steel/ black stop bumper
Fan
Driver lamp
Passenger lamp
Tool kit
Fasted kit
Stephane cover abs
Reflector stickers
Fog lamp
Cabin partition
Bottle holder
Fire extinguisher
Mobile handling device hands free
Music system
Rear Camera (Super+ Model)
Display 10 Inch

PARAMETERS	
BRAND	BHAWANI SUPER/SUPER+
Technical Specifications	
Particulars	E-Rickshaw (Auto Model)
Dimensions	Length - 2750 mm Width - 990 mm Height - 1770 mm
Seating capacity	4+1
Tyre size	3.75 x 12 / 90 x 90 x 12
Motor type	BLDC 48 V
Motor max power	900 W / 1000 W & 48 V
Max speed	25 Km / hour
Controller	50 amp 48 v (24 tubes) Brushless Type
Front shocker	43 mm 31" Helical spring with hydraulic telescopic shock absorber
Diffrentional	33"
Rear suspension	Leaf spring and Hydraulic soaker
Brakes	Drum 160 mm
Roof	Iron / Fiber
Wiring	10 mm full copper
Pant	Liquid metalliC
Range per charge	90 km & Above
E-RICKSHAW WARRANTY	
Chassis / Motor / Controller / Converter / Differential / Kamani	1 Year warranty
BATTERY WARRANTY	
48 v 80 Ah Life Po4	3 year warranty
12 v x 4 110 Ah Lead acid	1 year warranty
CHARGER WARRANTY	
48 v 15 Amp (For LifePo4 Battery)	1 Year warranty
48 v 15 Amp (For Lead acid Battery)	1 Year warranty
CHARGING TIME	
For LifePo4 Battery	4 TO 5 Hour /
For Lead acid Battery	8 TO 9 Hour
HANDLE	
Super Model	Rickshaw Type
Super+ Model	Auto Type